



Applicant's copy 09/753, 313

OTHER REFERENCES

TECH CENTER 1609/2900

MAR 06 2002

RECEIVED


Ex.	Doc #	Description (Author, Title, Date, Pertinent Pages, Etc.)
	A	SUGITA-KONISHI et al. "Epigallocatechin Gallate and Gallic acid Inhibit Extracellular Release of Vero Toxin from Enterohemorrhagic <i>Escherichia coli</i> O157:H7", Biochimica et Biophysica Acta 1472, pp.42-50, 1999.
	B	GEJYO et al. "A New Form of Amyloid Protein Associated with Chronic Hemodialysis was Identified as β 2-Microglobulin" Biochemical and Biophysical Research Communications, Vol. 129. No.3. pp.701-706. June 28, 1985.
	C	GEJYO et al. " β 2-microglobulin: A new form of amyloid protein associated with chronic hemodialysis," Kidney International, Vol. 30. pp.385-390, 1986.
	D	SARAIVA et al. "Studies on plasma transthyretin (Prealbumin) in familial Amyloidotic Polyneuropathy, Portuguese type", J. Lab. Clin. Medicine, Vol. 102, No.4, pp.590- 603. October 1983.
	E	SARAIVA et al. "Amyloid fibril protein in Familial Amyloidotic Polyneuropathy, Portuguese Type", J. Clin. Invest. Vol. 74. pp.104-119, July 1984.
	F	TAWARA et al. "Amyloid fibril protein in type I Familial Amyloidotic Polyneuropathy in Japanese, J. lab. Clin. Med. pp.811-822. December. 1981.
	G	JOHNSON et al. "Islet amyloid, islet-amyloid polypeptide, and diabetes mellitus, The New England Journal of Medicine, Vol. 321. No.8, pp.513-518, Aug. 24, 1989.
	H	HARADA et al. "Human Amyloid Protein: Chemical Variability and Homogeneity", The Journal of Histochemistry and Cytochemistry, Vol. 19, No. 1. pp.1-15. June 30, 1970.
	I	MADIAS et al. "Familial Mediterranean Fever and Amyloidosis, Kidney International, Vol. 20, pp.676-685, 1981.
	J	BENSON et al. "Serum Amyloid A Protein in Amyloidosis, Rheumatic, and Neoplastic Diseases, Arthritis and Rheumatism, Vol. 22, No.1 pp.36-42. January, 1979.
	K	KAMEI et al. "Amyloidosis Associated with Juvenile Rheumatoid Arthritis, Acta Pathol. Jpn. Vol. 32. No.1, pp.123-133. 1982.
	L	PUCHTLER et al. "On the Binding of Congo Red by Amyloid, J. Histochem. Cytochem. Vol. 10, pp.355-364. Sept. 27, 1975.
	M	McADAM et al. "Association of Amyloidosis with Erythema Nodosum Leprosus Reactions and Recurrent Neutrophil Leucocytosis Leprosy", The Lancet, pp. 572-575. September 27, 1975.
	N	GLENNER et al. "Alzheimer Disease: Initial Report of the Purification and Characterization of a Novel Cerebrovascular Amyloid Protein," Biochemical and Biophysical Research Communications, Vol. 120, No.3, pp.885-890, May 16, 1984.
	O	HASHIMOTO et al. "Human Recombinant NACP/ α -synuclein is Aggregated and Fibrillated in vitro: Relevance for Lewy Body Disease," Brain Research, Vol. 799, pp.301-306, 1998.
	P	PONTE et al. "A new A4 amyloid mRNA Contains a Domain Homologous to Serine Proteinase Inhibitors," Nature, Vol. 331, pp. 525-527. Feb. 11, 1988.

SAJ 5/2/02

MAR 06 2002

TECH CENTER 1600/2000

548	Q	WHO-IUIS Nomenclature Sub-Committee "Nomenclature of Amyloid and Amyloidosis," Bulletin of the World Health Organization, Vol. 71, No.1, pp.105-108, 1993.
	R	MASTERS et al. "Amyloid Plaque Core Protein in Alzheimer Disease and Down Syndrome," Medical Sciences, Vol. 82, pp.4245-4249. June 1985.
	S	KITAGUCHI et al. "Novel Precursor of Alzheimer's Disease Amyloid Protein Shows Protease Inhibitory Activity," Nature Vol. 331, pp.530-532. Feb. 1988.
	T	TANZI et al. "Protease Inhibitor Domain Encoded by an Amyloid Protein Precursor mRNA Associated with Alzheimer's Disease," Nature, Vol. 331. pp.528-530. Feb. 1988.
	U	PARDRIDGE et al. "Amyloid Angiopathy of Alzheimer's Disease: Amino Acid Composition and Partial Sequence of a 4,200-dalton Peptide Isolated from Cortical Microvessels," Journal of Neurochemistry, Vol. 49, No.5, pp.1394-1401. 1987.
	V	MANDYBUR et al. "Cerebral Amyloid Angiopathy: The Vascular Pathology and Complications," Journal of Neuropathology and Experimental Neurology, Vol. 45, No. 1, pp.79-90, Jan. 1986.
	W	PIKE et al. "Structure-activity Analyses of β -Amyloid Peptides: Contributions of the β 25-35 Region to Aggregation and Neurotoxicity," Journal of Neurochemistry, Vol. 64, pp.253-265, 1995.
	X	PIKE et al. "In Vitro Aging of β -amyloid protein causes peptide aggregation and neurotoxicity," Brain Research, Vol. 563, pp.311-314, 1991.
	Y	GAMES et al. "Alzheimer-type Neuropathology in Transgenic Mice Overexpressing V717F β -amyloid Precursor Protein," Nature, Vol. 373. pp.523-537. Feb. 9, 1995.
	Z	HARRIGAN et al., "Beta Amyloid is Neurotoxic in Hippocampal Slice Cultures," Neurobiology of Aging, Vol. 16, No.5, pp.779-789. 1995.
	AA	HAASS et al, "The Swedish Mutation Causes Early-onset Alzheimer's Disease by β -secretase Cleavage within the Secretory Pathway," Nature Medicine, Vol. 1, No.12, pp.1291-1296, 1995.
	BB	BROECKHOVEN et al, "Amyloid β Protein Precursor Gene and Hereditary Cerebral Hemorrhage with Amyloidosis (Dutch)" Science, Vol. 248. pp.1120-1121. June. 1990.
	CC	MURRELL et al, "A Mutation in the Amyloid Precursor Protein Associated with Hereditary Alzheimer's Disease," Science, Vol. 25, pp.97-99. Oct.. 4, 1991.
	DD	FLOOD et al., "An Amyloid β -protein Fragment, A β [12-28], Equipotently Impairs Post-training Memory Processing When Injected into Different Limbic System Structures," Brain Research Vol. 663, pp.271-276. 1994.
	EE	FLOOD et al., "Amnestic Effects in Mice of Four Synthetic Peptides Homologous to Amyloid β -protein From Patients with Alzheimer's Disease," Proc. Natl. Acad. Sci. Vol.88, pp.3363-3366. 1991.
	FF	POLYMERPOULOS et al., "Mutation in the α -synuclein Gene Identified in Families with Parkinson's Disease," Science Vol. 276. pp.2045-2047. June 27, 1997.
549	GG	SPILLANTINI et al., " α -Synuclein in Filamentous Inclusions of Lewy Bodies from Parkinson's Disease and Dementia with Lewy bodies," Proc. Natl. Acad. Sci. Vol. 95, pp.6469-7473, May 1998.



SD 5/22/02

RECEIVED

MAR 06 2002

HH	WOOD et al. "α-Synuclein Fibrillogenesis is Nucleation-dependent," <i>The Journal of Biological Chemistry</i> , Vol. 274, No.28, pp.19509-19512, Jul. 1999.
II	UEDA et al. "Molecular Cloning of cDNA Encoding an Unrecognized Component of Amyloid in Alzheimer Disease," <i>Proc. Natl. Acad. Sci.</i> Vol. 90, pp.11282-11286, Dec.1993.
JJ	KRUGER et al. "Ala30 Pro mutation in the Gene Encoding α-synuclein Parkinson's Disease," <i>Nature Genetics</i> , Vol. 18, pp.106-108, Feb.18,1998.
KK	KLUNK et al. "Quantifying Amyloid β-peptide (Aβ) Aggregation Using the Congo red-Aβ (Cr-Aβ) Spectrophotometric Assay," <i>Analytical Biochemistry</i> , Vol. 266, pp.66-76, 1999.
LL	CONWAY et al. "Accelerated in Vitro Fibril Formation by a Mutant α-synuclein Linked to Early-onset Parkinson Disease," <i>Nature Medicine</i> , Vol. 4, No.11, pp.318-320. Sept. 1998.
MM	NAIKI et al. "Kinetic Analysis of Amyloid Fibril Polymerization in Vitro," <i>Laboratory Investigation</i> , Vol. 65, No.1, pp.104-110, 1991.
NN	NAIKI et al. "First-order Kinetic Model of Alzheimer's β-amyloid Fibril Extension in vitro," <i>Laboratory Investigation</i> , Vol. 74, No.2. pp.374-383, Feb. 1996.
OO	ARAI et al. "Argyrophilic Glial Inclusions in the Midbrain of Patients with Parkinson's Disease and Diffuse Lewy Body Disease are Immunopositive for NACP/α-synuclein," <i>Neuroscience Letters</i> , Vol. 259, pp.83-86, 1999.
PP	POLLANEN et al. "Pathology and Biology of the Lewy body," <i>Journal of Neuropathology and Experimental Neurology</i> , Vol. 52, No.3, pp.183-191, May, 1993.
QQ	HSIAO et al. "Correlative Memory Deficits, Aβ elevation and Amyloid Plaques in Transgenic Mice," <i>Science</i> , Vol. 274, pp.99-102. Oct. 4, 1996.
RR	NARHI et al. "Both Familial Parkinson's Disease Mutations Accelerate α-Synuclein Aggregation," Vol. 274, No.14, pp.9843-9846, Apr. 1999.
SS	LEVINE III et al. "Thioflavine T interaction with Synthetic Alzheimer's Disease β-amyloid Peptides: Detection of Amyloid Aggregation in Solution," <i>Protein Science</i> , Vol. 2, pp.404-410, 1993.
TT	VIRGINIA et al. "A68: A Major Subunit of Paired Helical Filaments and Derivatized Forms of Normal Tau," <i>Science</i> , Vol. 251. pp.675-678. Feb. 1991.
UU	KOSIK et al. "Microtubule-associated Protein tau () is a Major Antigenic Component of Paired Helical Filaments in Alzheimer Disease," <i>Proc. Natl. Acad. Sci.</i> Vol. 83, pp.4044-4048, Jun. 1986.
VV	GRUNDKE-IQBAL et al. "Abnormal Phosphorylation of the Microtubule-Associated Protein (tau) in Alzheimer Cytoskeletal Pathology," <i>Proc. Natl. Acad. Sci.</i> Vol. 83, pp.4913-4917, Jul. 1986.
WW	CUTLER et al. "Tacrine in Alzheimer's Disease," <i>The New England Journal of Medicine</i> , Vol. 328, No.11, pp.808-810, Mar. 18, 1993.
XX	HARDY et al. "Framing β-amyloid," <i>Nature Genetics</i> Vol. 1, pp.233-234, Jul. 1992.
YY	CASTILLO et al. "Perlecan Binds to the β-Amyloid Proteins (Aβ) of Alzheimer's Disease, Accelerates Aβ Fibril Formation, and Maintains Aβ Fibril Stability," <i>Journal of Neurochemistry</i> , Vol. 69, pp.2452-2465, 1997.
ZZ	BARNER et al. "Donepezil use in Alzheimer disease," <i>The Annals of Pharmacotherapy</i> , Vol. 32, pp.70-77, Jan. 1998.



SAG 5/22/02

RECEIVED

MAR 06 2002

TECH CENTER 1600/2900

SA	AAA	LeVINE III et al. "Thioflavine T interaction with Amyloid β -sheet Structures," Amyloid Intl. Exp. Clin. Invest. Vol. 2, pp.1-6, 1995.
SA	BBB	SHIN-YA et al. "Antioxidant Protects the Nervous System Diminishing β -amyloid Peptide Toxicity by Catechin," Kagaku to Seibutsu (Chemistry and Biology), Vol. 38, No. 4, 212-214, 2000.

SA 5/22/02

It is respectfully requested that the Examiner indicate consideration of the cited references by returning a copy of the attached Information Disclosure Citation with initials or other appropriate marks.

Respectfully submitted,



PATRICK MICHAEL DWYER
Reg. No. 32,411

Tel. No. (206) 343-7074
P16-IDS.DOC

PATRICK M. DWYER
PROTEOTECH, INC.
1818 WESTLAKE AVENUE N, SUITE 114
SEATTLE, WA 98109

